

Ontario School District Ontario Middle School
573 SW 2nd Ave Ontario OR 97914

Room description (per the floor plan)	Canister serial #	Date opened	Time opened	Date Closed	Time closed	Type of test D = detector kit	Test results	Square Feet
MS-CR101	2727180	2/4/2019	6:08	2/7/2019	6:36	D	0.3 pCi/L	746
MS-CR101	2727207	2/4/2019	6:08	2/7/2019	6:36	DUPLICATE	0.4 pCi/L	
MS-CR102	2735778	2/4/2019	6:09	2/7/2019	6:35	D	0.1 pCi/L	753
MS-CR102	2736420	2/4/2019	6:09	2/4/2019	6:09	BLANK	0.2 pCi/L	
MS-CR103	2736471	2/4/2019	6:08	2/7/2019	6:35	D	0.8 pCi/L	600
MS-CR104	2736503	2/4/2019	6:08	2/7/2019	6:35	D	0.4 pCi/L	670
MS-CR105	2735296	2/4/2019	6:12	2/7/2019	6:33	D	0.5 pCi/L	859
MS-CR105	2735301	2/4/2019	6:12	2/7/2019	6:33	DUPLICATE	0.6 pCi/L	
MS-CR106	2736394	2/4/2019	6:11	2/7/2019	6:33	D	0.8 pCi/L	846
MS-CR107	2736402	2/4/2019	6:11	2/7/2019	6:33	D	0.8 pCi/L	850
MS-CR108	2736490	2/4/2019	6:13	2/7/2019	6:26	D	0.2 pCi/L	817
MS-CR109	2736510	2/4/2019	6:14	2/7/2019	6:26	D	0.7 pCi/L	830
MS-CR109	2727318	2/4/2019	6:14	2/4/2019	6:14	BLANK	0.1 pCi/L	
MS-O110	2735781	2/4/2019	8:12	2/7/2019	12:55	D	0.2 pCi/L	86
MS-CONF111	2736407	2/4/2019	6:02	2/7/2019	6:25	D	0.4 pCi/L	229
MS-BR112	2736415	2/4/2019	6:01	2/7/2019	6:28	D	1.3 pCi/L	204
MS-O117	2736492	2/4/2019	6:05	2/7/2019	6:28	D	0.6 pCi/L	105
MS-O118	2736534	2/4/2019	6:04	2/7/2019	6:29	D	0.8 pCi/L	110
MS-CONF119	2727223	2/4/2019	6:08	2/7/2019	6:32	D	0.6 pCi/L	150
MS-O121	2727234	2/4/2019	6:01	2/7/2019	6:31	D	0.6 pCi/L	145
MS-O121	2727323	2/4/2019	11:48	2/7/2019	11:48	SPIKE	29.9 pCi/L	
MS-O127	2727333	2/4/2019	5:58	2/7/2019	6:25	D	0.5 pCi/L	124
MS-O128	2735300	2/4/2019	5:58	2/7/2019	6:25	D	0.4 pCi/L	124
MS-O-133	2727186	2/4/2019	8:12	2/7/2019	6:30	D	0.5 pCi/L	730
MST-O301	2735302	2/4/2019	6:17	2/7/2019	6:41	D	0.5 pCi/L	132
MST-O302	2735499	2/4/2019	6:17	2/7/2019	6:40	D	1.3 pCi/L	132
MST-GYM303	2736076	2/4/2019	6:17	2/7/2019	6:29	D	0.6 pCi/L	1,154
MST-GYM303	2736399	2/4/2019	6:17	2/7/2019	6:29	DUPLICATE	0.6 pCi/L	

Radon Testing
Contact:
Lisa Longoria

Radon Testing Team
Bob Bennett
John Martinez
Doug Kaechele

Ontario School District Ontario Middle School
573 SW 2nd Ave Ontario OR 97914

Room description (per the floor plan)	Canister serial #	Date opened	Time opened	Date Closed	Time closed	Type of test D = detector kit	Test results	Square Feet
MST-GYM304	2736454	2/4/2019	6:20	2/7/2019	6:29	D	0.1 pCi/L	10,175
MST-GYM306	2736467	2/4/2019	6:20	2/7/2019	6:40	D	0.4 pCi/L	991
MSC-CR45	2736473	2/4/2019	6:27	2/7/2019	6:19	D	0.5 pCi/L	344
MSC-CR45	2735134	2/4/2019	6:27	2/4/2019	6:27	BLANK	0.1 pCi/L	
MSC-CR47	2736465	2/4/2019	6:27	2/7/2019	6:19	D	0.6 pCi/L	485
MSC-CR47	2736528	2/4/2019	6:29	2/7/2019	6:19	DUPLICATE	0.1 pCi/L	
MSC-GYM54	2727219	2/4/2019	6:29	2/7/2019	6:20	D	1.4 pCi/L	5,219
MSC-GYM54	2727252	2/4/2019	11:48	2/7/2019	11:48	SPIKE	27.1 pCi/L	
MSD-O1	2727325	2/4/2019	6:45	2/7/2019	6:05	D	0.6 pCi/L	455
MSD-O2	2727334	2/4/2019	6:45	2/7/2019	6:05	D	0.5 pCi/L	116
MSD-O3	2736461	2/4/2019	6:40	2/7/2019	6:08	D	0.2 pCi/L	289
MSD-O3	2736509	2/4/2019	6:40	2/7/2019	6:08	DUPLICATE	0.1 pCi/L	
MSD-BR4	2727288	2/4/2019	6:45	2/7/2019	6:08	D	0.5 pCi/L	212
MSD-O7	2735306	2/4/2019	6:40	2/7/2019	6:10	D	0.3 pCi/L	87
MSD-O8	2736506	2/4/2019	6:40	2/7/2019	6:11	D	0.9 pCi/L	85
MSD-O9	2736513	2/4/2019	6:38	2/7/2019	6:10	D	0.4 pCi/L	158
MSD-O11	2736527	2/4/2019	6:35	2/7/2019	6:14	D	0.4 pCi/L	186
MSD-LIB14	2736529	2/4/2019	6:34	2/7/2019	6:14	D	0.1 pCi/L	2,278
MSD-LIB14	2727265	2/4/2019	11:48	2/7/2019	11:48	SPIKE	29.1 pCi/L	
MSD-CR16	2727337	2/4/2019	6:35	2/7/2019	6:13	D	0.1 pCi/L	1,843
MSD-CR19	2735303	2/4/2019	6:41	2/7/2019	6:16	D	0.4 pCi/L	1,255
MSD-CAF21	2736462	2/4/2019	6:37	2/7/2019	6:07	D	0.7 pCi/L	4,342
MSD-CAF21	2736499	2/4/2019	6:37	2/4/2019	6:37	BLANK	0.1 pCi/L	
MSD-CR22	2736502	2/4/2019	6:41	2/7/2019	6:11	D	0.1 pCi/L	1,752
MSD-CR22	2727191	2/4/2019	6:41	2/7/2019	6:11	DUPLICATE	1.1 pCi/L	*
MSD-CR26	2727319	2/4/2019	6:35	2/7/2019	6:11	D	1.2 pCi/L	1,313
MSO-CR01	2727332	2/4/2019	6:54	2/7/2019	6:48	D	0.4 pCi/L	1214
MSO-CR01	2736477	2/4/2019	6:54	2/7/2019	6:48	DUPLICATE	0.3 pCi/L	
MSO-O-08	2736496	2/4/2019	6:58	2/7/2019	6:48	D	0.1 pCi/L	229
MSO-CR02	2736524	2/4/2019	6:54	2/7/2019	6:48	D	0.3 pCi/L	506
MSO-CR03	2727183	2/4/2019	6:55	2/7/2019	6:49	D	0.3 pCi/L	1337

Ontario School District Ontario Middle School
573 SW 2nd Ave Ontario OR 97914

Room description (per the floor plan)	Canister serial #	Date opened	Time opened	Date Closed	Time closed	Type of test D = detector kit	Test results	Square Feet
MSO-CR04A	2727185	2/4/2019	6:55	2/7/2019	6:47	D	0.5 pCi/L	960
MSO-CR04A	2727194	2/4/2019	6:55	2/4/2019	6:55	BLANK	0.2 pCi/L	
MSO-CR04B	2727230	2/4/2019	6:56	2/7/2019	6:46	D	0.6 pCi/L	647
MSO-CR05	2727260	2/4/2019	6:57	2/7/2019	6:45	D	1.0pCi/L	821
MSO-CR06	2727335	2/4/2019	6:56	2/7/2019	6:46	D	0.5 pCi/L	723
MSO-CR06	2727342	2/4/2019	11:48	2/7/2019	11:48	SPIKE	28.6 pCi/L	
MSO-007	2736520	2/4/2019	6:58	2/7/2019	6:46	D	0.6 pCi/L	189

Site Radon Inspection Report

Date : 02/11/2019

Mr. Robert Bennett
ONTARIO SCHOOL DISTRICT 8 C
195 SW 3rd Avenue
Ontario, OR 97914-

Client: Ontario M.S.
Test Location: 573 SW 2nd Avenue
Ontario, ID 97914-

Individual Canister Results

Canister ID# : 2727180
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS CR 101
Radon Level : 0.3 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 06:08
Test Stop : 02/07/2019 @ 06:36
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 09:57

Canister ID# : 2727183
Canister Type : Charcoal Canister 3 inch
Location : Bsmt=MSO CR 03
Radon Level : 0.3 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 06:55
Test Stop : 02/07/2019 @ 06:49
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 10:37

Canister ID# : 2727185
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSO CR 04A
Radon Level : 0.5 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 06:55
Test Stop : 02/07/2019 @ 06:47
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 10:00

Canister ID# : 2727186
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS O 133
Radon Level : 0.5 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 08:12
Test Stop : 02/07/2019 @ 06:30
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:15

Canister ID# : 2727191
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD CR 22 DP
Radon Level : 1.1 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 06:41
Test Stop : 02/07/2019 @ 06:11
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:44

Canister ID# : 2727194
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSO CR 04A BL
Radon Level : 0.2 pCi/L
Error for Measurement is: \pm 0.3 pCi/L

Test Start : 02/04/2019 @ 06:55
Test Stop : 02/07/2019 @ 06:55
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 10:53



Andreas C. George
Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 02/11/2019

Mr. Robert Bennett
ONTARIO SCHOOL DISTRICT 8 C
195 SW 3rd Avenue
Ontario, OR 97914-

Client: Ontario M.S.
Test Location: 573 SW 2nd Avenue
Ontario, ID 97914-

Individual Canister Results

Canister ID# : 2727207
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS CR 101 DP
Radon Level : 0.4 pCi/L
Error for Measurement is: \pm 0.3 pCi/L

Test Start : 02/04/2019 @ 06:08
Test Stop : 02/07/2019 @ 06:36
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 12:48

Canister ID# : 2727219
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSC GYM 54
Radon Level : 1.4 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 06:29
Test Stop : 02/07/2019 @ 06:20
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 10:54

Canister ID# : 2727223
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS CONF 119
Radon Level : 0.6 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 06:08
Test Stop : 02/07/2019 @ 06:32
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 12:15

Canister ID# : 2727230
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSO CR 04B
Radon Level : 0.6 pCi/L
Error for Measurement is: \pm 0.5 pCi/L

Test Start : 02/04/2019 @ 06:56
Test Stop : 02/07/2019 @ 06:46
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:28

Canister ID# : 2727234
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS O 121
Radon Level : 0.6 pCi/L
Error for Measurement is: \pm 0.5 pCi/L

Test Start : 02/04/2019 @ 06:01
Test Stop : 02/07/2019 @ 06:31
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 09:58

Canister ID# : 2727252
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSC GYM 54
Radon Level : 27.1 pCi/L
Error for Measurement is: \pm 0.9 pCi/L

Test Start : 02/04/2019 @ 11:48
Test Stop : 02/07/2019 @ 11:48
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 10:17



Andreas C. George
Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 02/11/2019

Mr. Robert Bennett
ONTARIO SCHOOL DISTRICT 8 C
195 SW 3rd Avenue
Ontario, OR 97914-

Client: Ontario M.S.
Test Location: 573 SW 2nd Avenue
Ontario, ID 97914-

Individual Canister Results

Canister ID# : 2727260
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSO CR 05
Radon Level : 1.0 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:57
Test Stop : 02/07/2019 @ 06:45
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 10:17

Canister ID# : 2727265
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD LIB 14
Radon Level : 29.1 pCi/L
Error for Measurement is: \pm 1.0 pCi/L
Test Start : 02/04/2019 @ 11:48
Test Stop : 02/07/2019 @ 11:48
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 11:07

Canister ID# : 2727288
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD BR 4
Radon Level : 0.5 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:45
Test Stop : 02/07/2019 @ 06:08
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 10:14

Canister ID# : 2727318
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS CR 109 BL
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.1 pCi/L
Test Start : 02/04/2019 @ 06:14
Test Stop : 02/07/2019 @ 06:14
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 11:56

Canister ID# : 2727319
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD CR 26
Radon Level : 1.2 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:35
Test Stop : 02/07/2019 @ 06:11
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:44

Canister ID# : 2727323
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS O 121
Radon Level : 29.9 pCi/L
Error for Measurement is: \pm 0.9 pCi/L
Test Start : 02/04/2019 @ 11:48
Test Stop : 02/07/2019 @ 11:48
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 12:28



Andreas C. George
Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 02/11/2019

Mr. Robert Bennett
ONTARIO SCHOOL DISTRICT 8 C
195 SW 3rd Avenue
Ontario, OR 97914-

Client: Ontario M.S.
Test Location: 573 SW 2nd Avenue
Ontario, ID 97914-

Individual Canister Results

Canister ID# : 2727325
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD O 1
Radon Level : 0.6 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 06:45
Test Stop : 02/07/2019 @ 06:05
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:15

Canister ID# : 2727332
Canister Type : Charcoal Canister 3 inch
Location : Bsmt=MSO CR 01
Radon Level : 0.4 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 06:54
Test Stop : 02/07/2019 @ 06:48
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:31

Canister ID# : 2727333
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS O 127
Radon Level : 0.5 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 05:58
Test Stop : 02/07/2019 @ 06:25
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 10:01

Canister ID# : 2727334
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD O 2
Radon Level : 0.5 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 06:45
Test Stop : 02/07/2019 @ 06:05
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:15

Canister ID# : 2727335
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSO CR 06
Radon Level : 0.5 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 06:56
Test Stop : 02/07/2019 @ 06:46
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:28

Canister ID# : 2727337
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD CR 16
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.8 pCi/L

Test Start : 02/04/2019 @ 06:35
Test Stop : 02/07/2019 @ 06:13
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 10:51



Andreas C. George
Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 02/11/2019

Mr. Robert Bennett
ONTARIO SCHOOL DISTRICT 8 C
195 SW 3rd Avenue
Ontario, OR 97914-

Client: Ontario M.S.
Test Location: 573 SW 2nd Avenue
Ontario, ID 97914-

Individual Canister Results

Canister ID# : 2727342
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSO CR 06
Radon Level : 28.6 pCi/L
Error for Measurement is: \pm 0.9 pCi/L

Test Start : 02/04/2019 @ 11:48
Test Stop : 02/07/2019 @ 11:48
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 10:01

Canister ID# : 2735134
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSC CR 45 BL
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.1 pCi/L

Test Start : 02/04/2019 @ 06:27
Test Stop : 02/07/2019 @ 06:27
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 11:56

Canister ID# : 2735296
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS CR 105
Radon Level : 0.5 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 06:12
Test Stop : 02/07/2019 @ 06:33
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 10:51

Canister ID# : 2735300
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS O 128
Radon Level : 0.4 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 05:58
Test Stop : 02/07/2019 @ 06:25
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:12

Canister ID# : 2735301
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS CR 105 DP
Radon Level : 0.6 pCi/L
Error for Measurement is: \pm 0.5 pCi/L

Test Start : 02/04/2019 @ 06:12
Test Stop : 02/07/2019 @ 06:33
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 12:12

Canister ID# : 2735302
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MST O 301
Radon Level : 0.5 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 06:17
Test Stop : 02/07/2019 @ 06:41
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 10:34



Andreas C. George
Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 02/11/2019

Mr. Robert Bennett
ONTARIO SCHOOL DISTRICT 8 C
195 SW 3rd Avenue
Ontario, OR 97914-

Client: Ontario M.S.
Test Location: 573 SW 2nd Avenue
Ontario, ID 97914-

Individual Canister Results

Canister ID# : 2735303
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD CR 19
Radon Level : 0.4 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 06:41
Test Stop : 02/07/2019 @ 06:16
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 09:57

Canister ID# : 2735306
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD O 7
Radon Level : 0.3 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 06:40
Test Stop : 02/07/2019 @ 06:10
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:32

Canister ID# : 2735499
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MST O 302
Radon Level : 1.3 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 06:17
Test Stop : 02/07/2019 @ 06:40
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:47

Canister ID# : 2735778
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS CR 102
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 06:09
Test Stop : 02/07/2019 @ 06:35
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 09:58

Canister ID# : 2735781
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS O 110
Radon Level : 0.2 pCi/L
Error for Measurement is: \pm 0.3 pCi/L

Test Start : 02/04/2019 @ 08:12
Test Stop : 02/07/2019 @ 12:55
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 12:12

Canister ID# : 2736076
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MST GYM 303
Radon Level : 0.6 pCi/L
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 02/04/2019 @ 06:17
Test Stop : 02/07/2019 @ 06:29
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:12



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201



Site Radon Inspection Report

Date : 02/11/2019

Mr. Robert Bennett
ONTARIO SCHOOL DISTRICT 8 C
195 SW 3rd Avenue
Ontario, OR 97914-

Client: Ontario M.S.
Test Location: 573 SW 2nd Avenue
Ontario, ID 97914-

Individual Canister Results

Canister ID# : 2736394
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS CR 106
Radon Level : 0.8 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:11
Test Stop : 02/07/2019 @ 06:33
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 12:12

Canister ID# : 2736399
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MST GYM 303 DP
Radon Level : 0.6 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:17
Test Stop : 02/07/2019 @ 06:29
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:31

Canister ID# : 2736402
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS CR 107
Radon Level : 0.8 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:11
Test Stop : 02/07/2019 @ 06:33
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 12:12

Canister ID# : 2736407
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS CONF 111
Radon Level : 0.4 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:02
Test Stop : 02/07/2019 @ 06:25
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 09:58

Canister ID# : 2736415
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS BR 112
Radon Level : 1.3 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:01
Test Stop : 02/07/2019 @ 06:28
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 12:48

Canister ID# : 2736420
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS CR 102 BL
Radon Level : 0.2 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:09
Test Stop : 02/07/2019 @ 06:09
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 10:54



Andreas C. George
Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 02/11/2019

Mr. Robert Bennett
ONTARIO SCHOOL DISTRICT 8 C
195 SW 3rd Avenue
Ontario, OR 97914-

Client: Ontario M.S.
Test Location: 573 SW 2nd Avenue
Ontario, ID 97914-

Individual Canister Results

Canister ID# : 2736454
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MST GYM 304
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.2 pCi/L
Test Start : 02/04/2019 @ 06:20
Test Stop : 02/07/2019 @ 06:29
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 10:14

Canister ID# : 2736461
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD O 3
Radon Level : 0.2 pCi/L
Error for Measurement is: \pm 0.3 pCi/L
Test Start : 02/04/2019 @ 06:40
Test Stop : 02/07/2019 @ 06:08
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 10:36

Canister ID# : 2736462
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD CAF 21
Radon Level : 0.7 pCi/L
Error for Measurement is: \pm 0.5 pCi/L
Test Start : 02/04/2019 @ 06:37
Test Stop : 02/07/2019 @ 06:07
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 11:56

Canister ID# : 2736465
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSC CR 47 DP
Radon Level : 0.6 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:27
Test Stop : 02/07/2019 @ 06:19
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:15

Canister ID# : 2736467
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MST GYM 306
Radon Level : 0.4 pCi/L
Error for Measurement is: \pm 0.3 pCi/L
Test Start : 02/04/2019 @ 06:20
Test Stop : 02/07/2019 @ 06:40
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 10:17

Canister ID# : 2736471
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS CR 103
Radon Level : 0.8 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:08
Test Stop : 02/07/2019 @ 06:35
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 12:15



Andreas C. George
Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201



Site Radon Inspection Report

Date : 02/11/2019

Mr. Robert Bennett
ONTARIO SCHOOL DISTRICT 8 C
195 SW 3rd Avenue
Ontario, OR 97914-

Client: Ontario M.S.
Test Location: 573 SW 2nd Avenue
Ontario, ID 97914-

Individual Canister Results

Canister ID# : 2736473
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSC CR 45
Radon Level : 0.5 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:27
Test Stop : 02/07/2019 @ 06:19
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 10:17

Canister ID# : 2736477
Canister Type : Charcoal Canister 3 inch
Location : Bsmt=MSO CR 01 DP
Radon Level : 0.3 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:54
Test Stop : 02/07/2019 @ 06:48
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 10:50

Canister ID# : 2736490
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS CR 108
Radon Level : 0.2 pCi/L
Error for Measurement is: \pm 0.6 pCi/L
Test Start : 02/04/2019 @ 06:13
Test Stop : 02/07/2019 @ 06:26
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 11:56

Canister ID# : 2736492
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS O 117
Radon Level : 0.6 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:05
Test Stop : 02/07/2019 @ 06:28
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 10:17

Canister ID# : 2736496
Canister Type : Charcoal Canister 3 inch
Location : Bsmt=MSO O 8
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.7 pCi/L
Test Start : 02/04/2019 @ 06:58
Test Stop : 02/07/2019 @ 06:48
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:12

Canister ID# : 2736499
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD CAF 21 BL
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.8 pCi/L
Test Start : 02/04/2019 @ 06:37
Test Stop : 02/07/2019 @ 06:37
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 09:57



Andreas C. George
Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 02/11/2019

Mr. Robert Bennett
ONTARIO SCHOOL DISTRICT 8 C
195 SW 3rd Avenue
Ontario, OR 97914-

Client: Ontario M.S.
Test Location: 573 SW 2nd Avenue
Ontario, ID 97914-

Individual Canister Results

Canister ID# : 2736502
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD CR 22
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.3 pCi/L
Test Start : 02/04/2019 @ 06:41
Test Stop : 02/07/2019 @ 06:11
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:48

Canister ID# : 2736503
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS CR 104
Radon Level : 0.4 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:08
Test Stop : 02/07/2019 @ 06:35
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 11:07

Canister ID# : 2736506
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD O 8
Radon Level : 0.9 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:40
Test Stop : 02/07/2019 @ 06:11
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:32

Canister ID# : 2736509
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD O 3 DP
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.3 pCi/L
Test Start : 02/04/2019 @ 06:40
Test Stop : 02/07/2019 @ 06:08
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 10:01

Canister ID# : 2736510
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS CR 109
Radon Level : 0.7 pCi/L
Error for Measurement is: \pm 0.5 pCi/L
Test Start : 02/04/2019 @ 06:14
Test Stop : 02/07/2019 @ 06:26
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 10:34

Canister ID# : 2736513
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD O 9
Radon Level : 0.4 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:38
Test Stop : 02/07/2019 @ 06:10
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:44



Andreas C. George
Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 02/11/2019

Mr. Robert Bennett
ONTARIO SCHOOL DISTRICT 8 C
195 SW 3rd Avenue
Ontario, OR 97914-

Client: Ontario M.S.
Test Location: 573 SW 2nd Avenue
Ontario, ID 97914-

Individual Canister Results

Canister ID# : 2736520
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSO CR 07
Radon Level : 0.6 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:58
Test Stop : 02/07/2019 @ 06:46
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:47

Canister ID# : 2736524
Canister Type : Charcoal Canister 3 inch
Location : Bsmt=MSO CR 02
Radon Level : 0.3 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:54
Test Stop : 02/07/2019 @ 06:48
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:29

Canister ID# : 2736527
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD O 11
Radon Level : 0.4 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:35
Test Stop : 02/07/2019 @ 06:14
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 12:15

Canister ID# : 2736528
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSC CR 47
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.7 pCi/L
Test Start : 02/04/2019 @ 06:29
Test Stop : 02/07/2019 @ 06:19
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 09:58

Canister ID# : 2736529
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MSD LIB 14
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.5 pCi/L
Test Start : 02/04/2019 @ 06:34
Test Stop : 02/07/2019 @ 06:14
Received: 02/11/2019 @ 10:59
Analyzed: 02/13/2019 @ 10:14

Canister ID# : 2736534
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=MS O 118
Radon Level : 0.8 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/04/2019 @ 06:04
Test Stop : 02/07/2019 @ 06:29
Received: 02/11/2019 @ 10:58
Analyzed: 02/13/2019 @ 12:28



Andreas C. George
Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 02/11/2019

Mr. Robert Bennett
ONTARIO SCHOOL DISTRICT 8 C
195 SW 3rd Avenue
Ontario, OR 97914-

Client: Ontario M.S.
Test Location: 573 SW 2nd Avenue
Ontario, ID 97914-

Individual Canister Results

The results indicate that at least one testing device registered at or above the United States Environmental Protection Agency (EPA) action level of 4.0 picoCuries per liter of air (pCi/L). The EPA recommends mitigation if the average of two short-term tests taken in the lowest level of the building suitable for occupancy show radon levels that are equal to or greater than 4.0 pCi/L.

For information on how to reduce radon levels in your home, please review the EPA booklet: Consumer's Guide to Radon Reduction (www.epa.gov/radon/pdfs/consguid.pdf) and contact your state health department. The EPA maintains a radon information website, including copies of its publications, at www.epa.gov/iaq/radon.

For New Jersey clients: Please see the attached guidance document entitled Radon Testing and Mitigation: The Basics for further information.

For New York clients: If the radon level of one or more testing devices is equal to or exceeds 20 pCi/L please contact the New York State Department of Health, Bureau of Environmental Radiation Protection, for technical advice and assistance at 518-402-7556 or toll free 1-800-458-1158.

PLEDGE OF ASSURED QUALITY

All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of radon in air (EPA 402-R-92-004). The analytical results relate only to the samples tested, in the condition received by the lab, and that calculations were based upon the information supplied by client. RTCA and its personnel do not assume responsibility or liability, collectively and individually, for analysis results when detectors have been improperly handled or placed by the consumer, nor does RTCA and its personnel accept responsibility for any financial or health consequences of subsequent action or lack of action, taken by the customer or its consultants based on RTCA-provided results.



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201